

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Revision date: 06/19/2020 Supersedes: 05/02/2017 Version: 2.0

SECTION 1: Identification

1.1. Product identifier

Product form : Mixture

Trade name : Dairyman's Defence Cyclone Acid Rinse

Product code : ASC# 6416
Product group : Trade product

1.2. Recommended use and restrictions on use

Recommended use : Blended Pipeline Acid for Milkstone Remover

1.3. Supplier

Agrisan

519-848-2453, 451 Smith Street

P O Box 69

N0G1A0 Arthur, ON - Canada

1.4. Emergency telephone number

Emergency number : CANUTEC, 24-Hour Number: 613-996-6666

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS CA)

Skin corrosion/irritation, H314 Causes severe skin burns and eye damage.

Category 1

Serious eye damage/eye H318 Causes serious eye damage.

irritation, Category 1

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS CA labelling

Hazard pictograms (GHS CA)



Signal word (GHS CA) : Danger

Hazard statements (GHS CA) : H314 - Causes severe skin burns and eye damage.

Precautionary statements (GHS CA) : P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor.

P321 - Specific treatment (see supplemental first aid instruction on this label).

P363 - Wash contaminated clothing before reuse.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS CA)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

07/08/2020 EN (English) Page 1

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS CA)
Sulfuric Acid	Sulfuric Acid	(CAS-No.) 7664-93-9	15-40	Skin Corr. 1A, H314 Aquatic Acute 3, H402

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician

immediately

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

First-aid measures general : Call a physician immediately.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns

4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment : Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray, Dry powder, Foam, Carbon dioxide.

5.2. Unsuitable extinguishing media

No additional information available

5.3. Specific hazards arising from the hazardous product

Hazardous decomposition products in case of : Toxic fumes may be released.

fire

5.4. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.2. Methods and materials for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters

Other information : Dispose of materials or solid residues at an authorized site.

6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not use product as a spray or a mist. Ensure good ventilation of the work station. Obtain

special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must

be cleaned regularly. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapours/spray.

Hygiene measures : Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

07/08/2020 EN (English) 2/7

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 8: Exposure controls/personal	protection	
8.1. Control parameters		
Sulfuric Acid (7664-93-9)		
Canada (Alberta) - Occupational Exposure Limits		
OEL TWA (mg/m³)	0.2 mg/m³	
Notations and remarks	Pulm func	
Canada (British Columbia) - Occupational Exposur	e Limits	
OEL TWA (mg/m³)	0.2 mg/m³	
Notations and remarks	Pulm func	
Canada (Manitoba) - Occupational Exposure Limits		
OEL TWA (mg/m³)	0.2 mg/m³	
Notations and remarks	Pulm func	
Canada (New Brunswick) - Occupational Exposure	Limits	
OEL TWA (mg/m³)	0.2 mg/m³	
Notations and remarks	Pulm func	
Canada (Newfoundland and Labrador) - Occupation	nal Exposure Limits	
OEL TWA (mg/m³)	0.2 mg/m³	
Notations and remarks	Pulm func	
Canada (Nova Scotia) - Occupational Exposure Lin	nits	
OEL TWA (mg/m³)	0.2 mg/m³	
Notations and remarks	Pulm func	
Canada (Nunavut) - Occupational Exposure Limits		
OEL TWA (mg/m³)	0.2 mg/m³	
Notations and remarks	Pulm func	
Canada (Northwest Territories) - Occupational Exp	osure Limits	
OEL TWA (mg/m³)	0.2 mg/m³	
Notations and remarks	Pulm func	
Canada (Ontario) - Occupational Exposure Limits		
OEL TWA (mg/m³)	0.2 mg/m³	
Notations and remarks	(Т)	
Regulatory reference	Ontario Occuational Exposure Limits under Regulation 833	
Canada (Prince Edward Island) - Occupational Exp	osure Limits	
OEL TWA (mg/m³)	0.2 mg/m³	
Notations and remarks	Pulm func	
Canada (Saskatchewan) - Occupational Exposure I	Limits	
OEL TWA (mg/m³)	0.2 mg/m³	
OEL STEL (mg/m³)	0.6 mg/m³	
Notations and remarks	T20. strong acid mist only	
USA - ACGIH - Occupational Exposure Limits		
ACGIH TWA (mg/m³)	0.2 mg/m³ (Thoracic fraction)	
8.2. Appropriate engineering controls		
	nsure good ventilation of the work station.	

Appropriate engineering controls : Ensure good ventilation of the work station. Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

07/08/2020 EN (English) 3/7

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Clear red liquid.

Colour : Red Odour : Mild Odour

Odour threshold : No data available

pH : < 1

Relative evaporation rate (butylacetate=1) : No data available Relative evaporation rate (ether=1) No data available Melting point Not applicable Freezing point : No data available Boiling point : No data available Flash point No data available Auto-ignition temperature No data available Decomposition temperature : No data available Flammability (solid, gas) : Not applicable Vapour pressure No data available Vapour pressure at 50 °C : No data available

Relative density : ≈ 1.14

Solubility : No data available
Partition coefficient n-octanol/water (Log Pow) : No data available
Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reactions known under normal conditions of use.

Conditions to avoid : None under recommended storage and handling conditions (see section 7).

Incompatible materials : No additional information available.

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

Hardening time: : No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

07/08/2020 EN (English) 4/7

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

	· · · ·
Sulfuric Acid (7664-93-9)	
LD50 oral rat	2140 mg/kg bodyweight (Rat, Experimental value, Oral)
ATE CA (oral)	2140 mg/kg bodyweight
Skin corrosion/irritation	: Causes severe skin burns.
	pH: < 1
Serious eye damage/irritation	: Causes serious eye damage.
	pH: < 1
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: The International Agency for Reasearch on Cancer (IARC) has determined occupational exposure to strong inorganic mists containing sulfuric acid as a group 1 carcinogen. Strong inorganic mists containing sulfuric acid are associated with laryngeal and lung cancer.
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
	: Not classified
STOT-repeated exposure	
Aspiration hazard	: Not classified

SECTION 12: Ecological information

Symptoms/effects after skin contact

Symptoms/effects after eye contact

Symptoms/effects after ingestion

12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

: Serious damage to eyes.

: Burns.

: Burns.

Hazardous to the aquatic environment, short- : Not classified

term (acute)

Hazardous to the aquatic environment, long- : Not classified

term (chronic)

Sulfuric Acid (7664-93-9)	
LC50 fish 1	42 mg/l (96 h, Gambusia affinis)
EC50 Daphnia 1	29 mg/l (24 h, Daphnia magna)
Partition coefficient n-octanol/water (Log Pow)	-2.2 (Estimated value)

12.2. Persistence and degradability

Sulfuric Acid (7664-93-9)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

12.3. Bioaccumulative potential

Sulfuric Acid (7664-93-9)	
Bioaccumulative potential	Not bioaccumulative.
Partition coefficient n-octanol/water (Log Pow)	-2.2 (Estimated value)

12.4. Mobility in soil

Sulfuric Acid (7664-93-9)	
Partition coefficient n-octanol/water (Log Pow)	-2.2 (Estimated value)

12.5. Other adverse effects

Ozone : Not classified

SECTION 13: Disposal considerations

13.1.	Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

07/08/2020 EN (English) 5/7

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 14: Transport information

Basic shipping description

In accordance with TDG

Transportation of Dangerous Goods

UN-No. (TDG) : UN3264

: II - Medium Danger Packing group TDG Primary Hazard Classes : 8 - Class 8 - Corrosives

: UN3264 CORROSIVE LIQUID. ACIDIC. INORGANIC. N.O.S. (SULFURIC ACID.), 8, II Transport document description

Proper Shipping Name (Transportation of : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

Dangerous Goods) SULFURIC ACID

Hazard labels (TDG) : 8 - Corrosive substances



TDG Special Provisions

16 - (1) The technical name of at least one of the most dangerous substances that predominantly contributes to the hazard or hazards posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A) of Part 3 (Documentation). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3) of Part 4 (Dangerous Goods Safety Marks). (2) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical name:

(a) UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S;

(b) UN1851, MEDICINE, LIQUID, TOXIC, N.O.S; (c) UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S;

(d) UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or

(e) UN3249, MEDICINE, SOLID, TOXIC, N.O.S.

(3) Despite subsection (1), the technical name for the following dangerous goods is not

required to be shown on a small means of containment:

(a) UN2814, INFECTIOUS SUBSTANCE, AFFECTING HUMANS; or (b) UN2900, INFECTIOUS SUBSTANCE, AFFECTING ANIMALS.

Explosive Limit and Limited Quantity Index

: 1L Excepted quantities (TDG) E2 Passenger Carrying Road Vehicle or Passenger : 1 L

Carrying Railway Vehicle Index

Transport information/DOT

No additional information available

Air and sea transport 14.3.

IMDG

UN-No. (IMDG) : 3264

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. Proper Shipping Name (IMDG)

Transport document description (IMDG) UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (SULFURIC ACID), 8, II

Class (IMDG) 8 - Corrosive substances

Packing group (IMDG) : II - substances presenting medium danger

IATA

UN-No. (IATA) : 3264

Corrosive liquid, acidic, inorganic, n.o.s. Proper Shipping Name (IATA)

Transport document description (IATA) UN 3264 Corrosive liquid, acidic, inorganic, n.o.s. (SULFURIC ACID), 8, II

Class (IATA) : 8 - Corrosives Packing group (IATA) : II - Medium Danger

SECTION 15: Regulatory information

15.1. National regulations

07/08/2020 EN (English) 6/7

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Sulfuric Acid (7664-93-9)

Listed on the Canadian DSL (Domestic Substances List)

15.2. International regulations

Sulfuric Acid (7664-93-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

SECTION 16: Other information

Revision date : 06/19/2020 Supersedes : 05/02/2017

Other information : Prepared by Agrisan Inc.

Full text of H-statements:

H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H402	Harmful to aquatic life

SDS Canada (GHS)

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

07/08/2020 EN (English) 7/7